

Lecture 3: Deeper into Deep Learning and Optimizations

Deep Learning @ UvA

Previous lecture

- Machine learning paradigm for neural networks
- Backpropagation algorithm, backbone for training neural networks
- Neural network == modular architecture
- Visited different modules, saw how to implement and check them

Lecture overview

- How to define our model and optimize it in practice
- Data preprocessing and normalization
- Optimization methods
- Regularizations
- Architectures and architectural hyper-parameters
- Learning rate
- Weight initializations
- Good practices

Deeper into Neural Networks & Deep Neural Nets




Figure 2: An illustration of the architecture of our CNN, explicitly showing the delineation of responsibilities between the two GPUs. One GPU runs the layer-parts at the top of the figure while the other runs the layer-parts at the bottom. The GPUs communicate only at certain layers. The network's input is 150,528-dimensional, and the number of neurons in the network's remaining layers is given by 253,440–186,624–64,896–64,896–43,264–4096–4096–1000.

A Neural/Deep Network in a nutshell

1. The Neural Network

$$a_L(x; \theta_{1,\dots,L}) = h_L(h_{L-1}(\dots h_1(x, \theta_1), \theta_{L-1}), \theta_L)$$

2. Learning by minimizing empirical error

$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x,y) \subseteq (X,Y)} \mathcal{L}(y, a_L(x; \theta_{1,\dots,L}))$$

3. Optimizing with Gradient Descend based methods

$$\theta^{(t+1)} = \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L}$$

SGD vs GD

1. The Neural Network

$$a_L(x; \theta_{1, \dots, L}) = h_L(h_{L-1}(\dots h_1(x, \theta_1), \theta_{L-1}), \theta_L)$$

2. Learning by minimizing empirical error

$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x, y) \subseteq (X, Y)} \mathcal{L}(y, a_L(x; \theta_{1, \dots, L}))$$

3. Optimizing with Gradient Descend based methods

$$\theta^{(t+1)} = \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L}$$

Backpropagation again

- **Step 1.** Compute forward propagations for all layers recursively

$$a_l = h_l(x_l) \text{ and } x_{l+1} = a_l$$

- **Step 2.** Once done with forward propagation, follow the reverse path.
 - Start from the last layer and for each new layer compute the gradients
 - Cache computations when possible to avoid redundant operations

$$\frac{\partial \mathcal{L}}{\partial a_l} = \left(\frac{\partial a_{l+1}}{\partial x_{l+1}} \right)^T \cdot \frac{\partial \mathcal{L}}{\partial a_{l+1}}$$

$$\frac{\partial \mathcal{L}}{\partial \theta_l} = \frac{\partial a_l}{\partial \theta_l} \cdot \left(\frac{\partial \mathcal{L}}{\partial a_l} \right)^T$$

- **Step 3.** Use the gradients $\frac{\partial \mathcal{L}}{\partial \theta_l}$ with Stochastic Gradient Descent to train

Still, backpropagation can be slow

- Often loss surfaces are
 - non-quadratic
 - highly non-convex
 - very high-dimensional
- Datasets are typically really large to compute complete gradients
- No real guarantee that
 - the final solution will be good
 - we converge fast to final solution
 - or that there will be convergence


Stochastic Gradient Descent (SGD)

- Stochastically sample “mini-batches” from dataset D
 - The size of B_j can contain even just 1 sample

$$B_j = \text{sample}(D)$$
$$\theta^{(t+1)} = \theta^{(t)} - \frac{\eta_t}{|B_j|} \sum_{i \in B_j} \nabla_{\theta} \mathcal{L}_i$$

- Much faster than Gradient Descent
- Results are often better
- Also suitable for datasets that change over time
- Variance of gradients increases when batch size decreases

SGD is often better




- No guarantee that this is what is going to always happen.
- But the noisy SGD gradients can help some times escaping local optima


SGD is often better

- (A bit) Noisy gradients act as regularization
- Gradient Descent → Complete gradients
- Complete gradients fit optimally the (arbitrary) data we have, not the distribution that generates them
 - All training samples are the “absolute representative” of the input distribution
 - Test data will be no different than training data
 - Suitable for traditional optimization problems: “find optimal route”
 - But for ML we cannot make this assumption → test data are always different
- Stochastic gradients → sampled training data sample roughly representative gradients
 - Model does not overfit to the particular training samples


SGD is faster



SGD is faster



SGD is faster



SGD is faster

- Of course in real situations data do not replicate
- However, after a sizeable amount of data there are clusters of data that are similar
- Hence, the gradient is approximately alright
- Approximate alright is great, is even better in many cases actually

SGD for dynamically changed datasets

- Often datasets are not “rigid”
- Imagine Instagram
 - Let’s assume 1 million of **new** images uploaded per week and we want to build a “cool picture” classifier
 - Should “cool pictures” from the previous year have the same as much influence?
 - No, the learning machine should track these changes
- With GD these changes go undetected, as results are averaged by the many more “past” samples
 - Past “over-dominates”
- A properly implemented SGD can track changes much better and give better models
 - [LeCun2002]



Popular today



Popular in 2014




Popular in 2010


Shuffling examples

- Applicable only with SGD
- Choose samples with maximum information content
- Mini-batches should contain examples from different classes
 - As different as possible
- Prefer samples likely to generate larger errors
 - Otherwise gradients will be small → slower learning
 - Check the errors from previous rounds and prefer “hard examples”
 - Don’t overdo it though :P, beware of outliers
- In practice, split your dataset into mini-batches
 - Each mini-batch is as class-divergent and rich as possible
 - New epoch → to be safe new batches & new, randomly shuffled examples

Dataset



Shuffling
at epoch t



Shuffling
at epoch $t+1$



Advantages of Gradient Descent batch learning

- Conditions of convergence well understood
- Acceleration techniques can be applied
 - Second order (Hessian based) optimizations are possible
 - Measuring not only gradients, but also curvatures of the loss surface
- Simpler theoretical analysis on weight dynamics and convergence rates

In practice

- SGD is preferred to Gradient Descent
- Training is orders faster
 - In real datasets Gradient Descent is not even realistic
- Solutions generalize better
 - More efficient → larger datasets
 - Larger datasets → better generalization
- How many samples per mini-batch?
 - Hyper-parameter, trial & error
 - Usually between 32-256 samples

Data preprocessing & normalization

1. The Neural Network

$$a_L(\mathbf{x}; \theta_{1, \dots, L}) = h_L(h_{L-1}(\dots h_1(\mathbf{x}, \theta_1), \theta_{L-1}), \theta_L)$$

2. Learning by minimizing empirical error

$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x, y) \in (X, Y)} \mathcal{L}(y, a_L(\mathbf{x}; \theta_{1, \dots, L}))$$


3. Optimizing with Gradient Descend based methods

$$\theta^{(t+1)} = \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L}$$


Data pre-processing

- Center data to be roughly 0
 - Activation functions usually “centered” around 0
 - Convergence usually faster
 - Otherwise bias on gradient direction → might slow down learning


ReLU 😊



$\tanh(x)$ 😊




$\sigma(x)$ ☹️



Data pre-processing

- Scale input variables to have similar diagonal covariances $c_i = \sum_j (x_i^{(j)})^2$
 - Similar covariances \rightarrow more balanced rate of learning for different weights
 - Rescaling to 1 is a good choice, unless some dimensions are less important

$$x = [x^1, x^2, x^3]^T, \theta = [\theta^1, \theta^2, \theta^3]^T, a = \tanh(\theta^T x)$$



$x^1, x^2, x^3 \rightarrow$ much different covariances

Generated gradients $\left. \frac{d\mathcal{L}}{d\theta} \right|_{x^1, x^2, x^3}$: much different


Gradient update harder: $\theta^{(t+1)} = \theta^{(t)} - \eta_t \begin{bmatrix} d\mathcal{L}/d\theta^1 \\ d\mathcal{L}/d\theta^2 \\ d\mathcal{L}/d\theta^3 \end{bmatrix}$

Data pre-processing

- Input variables should be as decorrelated as possible
 - Input variables are “more independent”
 - Network is forced to find non-trivial correlations between inputs
 - Decorrelated inputs → Better optimization
 - Obviously not the case when inputs are by definition correlated (sequences)
- Extreme case
 - extreme correlation (linear dependency) might cause problems [CAUTION]

Normalization: $N(\mu, \sigma^2) = N(0, 1)$

- Input variables follow a Gaussian distribution (roughly)
- In practice:
 - from training set compute mean and standard deviation
 - Then subtract the mean from training samples
 - Then divide the result by the standard deviation



$N(\mu, \sigma^2) = N(0, 1)$ – Making things faster

- Instead of “per-dimension” \rightarrow all input dimensions simultaneously
- If dimensions have similar values (e.g. pixels in natural images)
 - Compute one (μ, σ^2) instead of as many as the input variables
 - Or the per color channel pixel average/variance
 $(\mu_{red}, \sigma_{red}^2), (\mu_{green}, \sigma_{green}^2), (\mu_{blue}, \sigma_{blue}^2)$

Even simpler: Centering the input

- When input dimensions have similar ranges ...
- ... and with the right non-linearity ...
- ... centering might be enough
 - e.g. in images all dimensions are pixels
 - All pixels have more or less the same ranges
- Just make sure images have mean 0 ($\mu = 0$)

PCA Whitening

- If C the covariance matrix of your dataset, compute eigenvalues and eigenvectors with SVD

$$U, \Sigma, V^T = \text{svd}(C)$$

- Decorrelate (PCA-ed) dataset by

$$X_{rot} = U^T X$$



- Subset of eigenvectors $U' = [u_1, \dots, u_q]$ to reduce data dimensions

- Scaling by square root of eigenvalues to whiten data


$$X_{wht} = X_{rot} / \sqrt{\Sigma}$$

- Not used much with Convolutional Neural Nets

- The zero mean normalization is more important



Example



Images taken from A. Karpathy course website: <http://cs231n.github.io/neural-networks-2/>

Data augmentation [Krizhevsky2012]

Original



Flip



Random crop



Contrast





Tint




Batch normalization [Ioffe2015]

- Weights change \rightarrow the distribution of the layer inputs changes per round
- Covariance shift
- Normalize the layer inputs with batch normalization
- Roughly speaking, normalize x_l to $N(0, 1)$ and rescale




Batch normalization - Intuitively



Batch normalization – The algorithm

- $\mu_B \leftarrow \frac{1}{m} \sum_{i=1}^m x_i$ [compute mini-batch mean]
- $\sigma_B \leftarrow \frac{1}{m} \sum_{i=1}^m (x_i - \mu_B)^2$ [compute mini-batch variance]
- $\hat{x}_i \leftarrow \frac{x_i - \mu_B}{\sqrt{\sigma_B^2 + \epsilon}}$ [normalize input]
- $\hat{y}_i \leftarrow \gamma x_i + \beta$ [scale and shift input]

Trainable parameters



Batch normalization - Benefits

- Gradients can be stronger → higher learning rates → faster training
 - Otherwise maybe exploding or vanishing gradients or getting stuck to local minima
- Neurons get activated in a near optimal “regime”
- Better model regularization
 - Neuron activations not deterministic, depend on the batch
 - Model cannot be overconfident




Figure 1: (a) *The test accuracy of the MNIST network trained with and without Batch Normalization, vs. the number of training steps. Batch Normalization helps the network train faster and achieve higher accuracy.* (b, c) *The evolution of input distributions to a typical sigmoid, over the course of training, shown as {15, 50, 85}th percentiles. Batch Normalization makes the distribution more stable and reduces the internal covariate shift.*

Regularization

1. The Neural Network

$$a_L(x; \theta_{1, \dots, L}) = h_L(h_{L-1}(\dots h_1(x, \theta_1), \theta_{L-1}), \theta_L)$$

2. Learning by minimizing empirical error

$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x,y) \subseteq (X,Y)} \ell(y, a_L(x; \theta_{1, \dots, L}))$$

3. Optimizing with Gradient Descend based methods

$$\theta^{(t+1)} = \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L}$$

Regularization

- Neural networks typically have thousands, if not millions of parameters
 - Usually, the dataset size smaller than the number of parameters
- Overfitting is a grave danger
- Proper weight regularization is crucial to avoid overfitting

$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x,y) \in (X,Y)} \ell(y, a_L(x; \theta_{1,\dots,L})) + \lambda \Omega(\theta)$$

- Possible regularization methods
 - ℓ_2 -regularization
 - ℓ_1 -regularization
 - Dropout

ℓ_2 -regularization

- Most important (or most popular) regularization

$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x,y) \subseteq (X,Y)} \mathcal{L}(y, a_L(x; \theta_{1,\dots,L})) + \frac{\lambda}{2} \sum_l \|\theta_l\|^2$$

- The ℓ_2 -regularization can pass inside the gradient descend update rule

$$\begin{aligned} \theta^{(t+1)} &= \theta^{(t)} - \eta_t (\nabla_{\theta} \mathcal{L} + \lambda \theta_l) \Rightarrow \\ \theta^{(t+1)} &= (1 - \lambda \eta_t) \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L} \end{aligned}$$

- λ is usually about 10^{-1} , 10^{-2}

“weight decay”, because weights get smaller



ℓ_1 -regularization

- ℓ_1 -regularization is one of the most important techniques

$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x,y) \in (X,Y)} \mathcal{L}(y, a_L(x; \theta_1, \dots, \theta_L)) + \frac{\lambda}{2} \sum_l \|\theta_l\|$$

- Also ℓ_1 -regularization passes inside the gradient descend update rule


$$\theta^{(t+1)} = \theta^{(t)} - \lambda \eta_t \frac{\theta^{(t)}}{|\theta^{(t)}|} - \eta_t \nabla_{\theta} \mathcal{L}$$

Sign function

- ℓ_1 -regularization \rightarrow sparse weights
 - $\lambda \nearrow \rightarrow$ more weights become 0

Early stopping

- To tackle overfitting another popular technique is early stopping
- Monitor performance on a separate validation set
- Training the network will decrease training error, as well validation error (although with a slower rate usually)
- Stop when validation error starts increasing
 - This quite likely means the network starts to overfit




Dropout [Srivastava2014]

- During training setting activations randomly to 0
 - Neurons sampled at random from a Bernoulli distribution with $p = 0.5$
- At test time all neurons are used
 - Neuron activations reweighted by p
- Benefits
 - Reduces complex co-adaptations or co-dependencies between neurons
 - No “free-rider” neurons that rely on others
 - Every neuron becomes more robust
 - Decreases significantly overfitting
 - Improves significantly training speed

Dropout


- Effectively, a different architecture at every training epoch
 - Similar to model ensembles

original model




Dropout

- Effectively, a different architecture at every training epoch
 - Similar to model ensembles




Dropout

- Effectively, a different architecture at every training epoch
 - Similar to model ensembles




Dropout

- Effectively, a different architecture at every training epoch
 - Similar to model ensembles



Dropout

- Effectively, a different architecture at every training epoch
 - Similar to model ensembles



Architectural details

1. The Neural Network

$$a_L(x; \theta_{1, \dots, L}) = h_L(h_{L-1}(\dots h_1(x, \theta_1), \theta_{L-1}), \theta_L)$$

2. Learning by minimizing empirical error


$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x, y) \in (X, Y)} \mathcal{L}(y, a_L(x; \theta_{1, \dots, L}))$$

3. Optimizing with Gradient Descend based methods

$$\theta^{(t+1)} = \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L}$$


Sigmoid-like activation functions

- Straightforward sigmoids not a very good idea
- Symmetric sigmoids converge faster
 - E.g. tanh, returns $a(x=0)=0$
 - Recommended sigmoid: $a = h(x) = 1.7159 \tanh(\frac{2}{3}x)$
- You can add a linear term to avoid flat areas
$$a = h(x) = \tanh(x) + \beta x$$




RBFs vs “Sigmoids”

- RBF: $a = h(x) = \sum_j u_j \exp\left(-\beta_j(x - w_j)^2\right)$
- Sigmoid: $a = h(x) = \sigma(x) = \frac{1}{1+e^{-x}}$
- Sigmoids can cover the full feature space
- RBF's are much **more local** in the feature space
 - Can be faster to train but with a more limited range
 - Can give better set of basis functions
 - Preferred in lower dimensional spaces




Rectified Linear Unit (ReLU) module [Krizhevsky2012]

- Activation function $a = h(x) = \max(0, x)$
- Gradient wrt the input $\frac{\partial a}{\partial x} = \begin{cases} 0, & \text{if } x \leq 0 \\ 1, & \text{if } x > 0 \end{cases}$
- Very popular in computer vision and speech recognition
- Much faster computations, gradients
 - No vanishing or exploding problems, only comparison, addition, multiplication
- People claim biological plausibility
- Sparse activations
- No saturation
- Non-symmetric
- Non-differentiable at 0
- A large gradient during training can cause a neuron to “die”. Higher learning rates mitigate the problem






ReLU convergence rate



Other ReLUs

- Soft approximation (softplus): $a = h(x) = \ln(1 + e^x)$
- Noisy ReLU: $a = h(x) = \max(0, x + \varepsilon)$, $\varepsilon \sim N(0, \sigma(x))$
- Leaky ReLU: $a = h(x) = \begin{cases} x, & \text{if } x > 0 \\ 0.01x & \text{otherwise} \end{cases}$
- Parametric ReLU: $a = h(x) = \begin{cases} x, & \text{if } x > 0 \\ \beta x & \text{otherwise} \end{cases}$ (parameter β is trainable)




Architectural hyper-parameters

- Number of hidden layers
- Number of neuron in each hidden layer
- Type of activation functions
- Type and amount of regularization

Number of neurons, number of hidden layers

- Dataset dependent hyperparameters
- Tip: **Start small** → increase complexity gradually
 - e.g. start with a 2-3 hidden layers
 - Add more layers → does performance improve?
 - Add more neurons → does performance improve?
- Regularization is very important, use ℓ_2
 - Even if with very deep or wide network
 - With strong ℓ_2 -regularization we avoid overfitting



Learning rate

1. The Neural Network

$$a_L(x; \theta_{1, \dots, L}) = h_L(h_{L-1}(\dots h_1(x, \theta_1), \theta_{L-1}), \theta_L)$$

2. Learning by minimizing empirical error

$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x,y) \in (X,Y)} \mathcal{L}(y, a_L(x; \theta_{1, \dots, L}))$$

3. Optimizing with Gradient Descend based methods


$$\theta^{(t+1)} = \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L}$$

Learning rate

- The right learning rate η_t very important for fast convergence
 - Too strong \rightarrow gradients overshoot and bounce
 - Too weak, \rightarrow too small gradients \rightarrow slow training
- Learning rate per weight is often advantageous
 - Some weights are near convergence, others not
- Rule of thumb
 - Learning rate of (shared) weights prop. to square root of share weight connections
- Adaptive learning rates are also possible, based on the errors observed
 - [Sompolinsky1995]

Learning rate schedules

- Constant
 - Learning rate remains the same for all epochs
- Step decay
 - Decrease (e.g. η_t/T or η_t/T) every T number of epochs
- Inverse decay $\eta_t = \frac{\eta_0}{1+\epsilon t}$
- Exponential decay $\eta_t = \eta_0 e^{-\epsilon t}$
- Often step decay preferred
 - simple, intuitive, works well and only a single extra hyper-parameter T ($T = 2, 10$)



Learning rate in practice

- Try several log-spaced values 10^{-1} , 10^{-2} , 10^{-3} , ... on a smaller set
 - Then, you can narrow it down from there around where you get the lowest error
- You can decrease the learning rate every 10 (or some other value) full training set epochs
 - Although this highly depends on your data

Weight initialization

1. The Neural Network

$$a_L(x; \theta_{1, \dots, L}) = h_L(h_{L-1}(\dots h_1(x, \theta_1), \theta_{L-1}), \theta_L)$$

2. Learning by minimizing empirical error


$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x,y) \subseteq (X,Y)} \ell(y, a_L(x; \theta_{1, \dots, L}))$$

3. Optimizing with Gradient Descend based methods

$$\theta^{(t+1)} = \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L}$$

Weight initialization

- There are few contradictory requirements
- Weights need to be small enough
 - around origin ($\vec{0}$) for symmetric functions (tanh, sigmoid)
 - When training starts better stimulate activation functions near their linear regime
 - larger gradients \rightarrow faster training
- Weights need to be large enough
 - Otherwise signal is too weak for any serious learning



Weight initialization

- Weights must be initialized to preserve the variance of the activations during the forward and backward computations
 - Especially for deep learning
 - All neurons operate in their full capacity

Question: Why similar input/output variance?

- Good practice: initialize weights to be asymmetric
 - Don't give same values to all weights (like all $\vec{\mathbf{0}}$)
 - In that case all neurons generate same gradient \rightarrow no learning
- Generally speaking initialization depends on
 - non-linearities
 - data normalization

Weight initialization

- Weights must be initialized to preserve the variance of the activations during the forward and backward computations
 - Especially for deep learning
 - All neurons operate in their full capacity

Question: Why similar input/output variance?

Answer: Because the output of one module is the input to another

- Good practice: initialize weights to be asymmetric
 - Don't give same values to all weights (like all $\vec{\mathbf{0}}$)
 - In that case all neurons generate same gradient \rightarrow no learning
- Generally speaking initialization depends on
 - non-linearities
 - data normalization

Weight initialization

- Weights must be initialized to preserve the variance of the activations during the forward and backward computations
 - Especially for deep learning
 - All neurons operate in their full capacity

Question: Why similar input/output variance?


Answer: Because the output of one module is the input to another

- Good practice: initialize weights to be asymmetric
 - Don't give same values to all weights (like all $\vec{\mathbf{0}}$)
 - In that case all neurons generate same gradient \rightarrow no learning
- Generally speaking initialization depends on
 - non-linearities
 - data normalization

One way of initializing sigmoid-like neurons

- For tanh initialize weights from $\left[-\sqrt{\frac{6}{d_{l-1}+d_l}}, \sqrt{\frac{6}{d_{l-1}+d_l}} \right]$
 - d_{l-1} is the number of input variables to the tanh layer and d_l is the number of the output variables

- For a sigmoid $\left[-4 \cdot \sqrt{\frac{6}{d_{l-1}+d_l}}, 4 \cdot \sqrt{\frac{6}{d_{l-1}+d_l}} \right]$



Xavier initialization [Glorot2010]

- For $a = \theta x$ the variance is

$$\text{Var}(a) = E[x]^2 \text{Var}(\theta) + E[\theta]^2 \text{Var}(x) + \text{Var}(x) \text{Var}(\theta)$$

- Since $E[x] = E[\theta] = 0$

$$\text{Var}(a) = \text{Var}(x) \text{Var}(\theta) \approx d \cdot \text{Var}(x^i) \text{Var}(\theta^i)$$

- For $\text{Var}(a) = \text{Var}(x) \Rightarrow \text{Var}(\theta^i) = \frac{1}{d}$

- Draw random weights from

$$\theta \sim N(0, \sqrt{1/d})$$


where d is the number of neurons in the input

[He2015] initialization for ReLUs

- Unlike sigmoids, ReLUs ground to 0 the linear activations half the time
- Double weight variance
 - Compensate for the zero flat-area →
 - Input and output maintain same variance
 - Very similar to Xavier initialization
- Draw random weights from

$$w \sim N(0, \sqrt{2/d})$$

where d is the number of neurons in the input



Loss functions

1. The Neural Network

$$a_L(x; \theta_{1, \dots, L}) = h_L(h_{L-1}(\dots h_1(x, \theta_1), \theta_{L-1}), \theta_L)$$

2. Learning by minimizing empirical error

$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x,y) \in (X,Y)} \mathcal{L}(y, a_L(x; \theta_{1, \dots, L}))$$

3. Optimizing with Gradient Descend based methods

$$\theta^{(t+1)} = \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L}$$

Multi-class classification

- Our samples contains only one class
 - There is only one correct answer per sample
- Negative log-likelihood (cross entropy) + Softmax


$$\mathcal{L}(\theta; x, y) = - \sum_{c=1}^C y_c \log a_L^c \quad \text{for all classes } c = 1, \dots, C$$

- Hierarchical softmax when C is very large
- Hinge loss (aka SVM loss)

$$\mathcal{L}(\theta; x, y) = \sum_{\substack{c=1 \\ c \neq y}}^C \max(0, a_L^c - a_L^y + 1)$$

- Squared hinge loss

Is it a cat? Is it a horse? ...



Multi-class, multi-label classification

- Each sample can have many correct answers
- Hinge loss and the likes
 - Also sigmoids would also work
- Each output neuron is independent
 - “Does this contain a car, yes or no?”
 - “Does this contain a person, yes or no?”
 - “Does this contain a motorbike, yes or no?”
 - “Does this contain a horse, yes or no?”
- Instead of “Is this a car, motorbike or person?”
 - $p(car|x) = 0.55, p(m/bike|x) = 0.25, p(person|x) = 0.15, p(horse|x) = 0.05$
 - $p(car|x) + p(m/bike|x) + p(person|x) + p(horse|x) = 1.0$



Regression

- The good old Euclidean Loss

$$\mathcal{L}(\theta; x, y) = \frac{1}{2} |y - a_L|_2^2$$

- Or RBF on top of Euclidean loss

$$\mathcal{L}(\theta; x, y) = \sum_j u_j \exp(-\beta_j (y - a_L)^2)$$

- Or ℓ_1 distance

$$\mathcal{L}(\theta; x, y) = \sum_j |y_j - a_L^j|$$

Even better optimizations

1. The Neural Network

$$a_L(x; \theta_{1, \dots, L}) = h_L(h_{L-1}(\dots h_1(x, \theta_1), \theta_{L-1}), \theta_L)$$

2. Learning by minimizing empirical error

$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x, y) \in (X, Y)} \mathcal{L}(y, a_L(x; \theta_{1, \dots, L}))$$

3. Optimizing with Gradient Descend based methods


$$\theta^{(t+1)} = \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L}$$

Momentum

- Don't switch gradients all the time
- Maintain "momentum" from previous parameters

$$u_{\theta} = \gamma \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L}$$
$$\theta^{(t+1)} = \theta^{(t)} + u_{\theta}$$

- More robust gradients and learning → faster convergence
- Nice "physics"-based interpretation
 - Instead of updating the position of the "ball", we update the velocity, which updates the position




Nesterov Momentum [Sutskever2013]

- Use the future gradient instead of the current gradient

$$u_{\theta} = \gamma \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L}$$
$$\theta^{(t+1)} = \theta^{(t)} + u_{\theta}$$

- Better theoretical convergence
- Generally works better with Convolutional Neural Networks



Second order optimization

- Normally all weights updated with same “aggressiveness”
 - Often some parameters could enjoy more “teaching”
 - While others are already about there

- Adapt learning per parameter

$$\theta^{(t+1)} = \theta^{(t)} - H_{\mathcal{L}}^{-1} \eta_t \nabla_{\theta} \mathcal{L}$$

- $H_{\mathcal{L}}$ is the Hessian matrix of \mathcal{L} : second-order derivatives

$$H_{\mathcal{L}}^{ij} = \frac{\partial^2 \mathcal{L}}{\partial \theta_i \partial \theta_j}$$

Second order optimization methods in practice

- Inverse of Hessian usually very expensive
 - Too many parameters
- Approximating the Hessian, e.g. with the L-BFGS algorithm
 - Keeps memory of gradients to approximate the inverse Hessian
- L-BFGS works alright with Gradient Descent. What about SGD?
- In practice SGD with some good momentum works just fine

Other per-parameter adaptive optimizations

- Adagrad [Duchi2011]
- RMSprop
- Adam [Kingma2014]

Adagrad [Duchi2011]


- Schedule

- $m_j = \sum_{\tau} (\nabla_{\theta} \mathcal{L}_j)^2 \implies \theta^{(t+1)} = \theta^{(t)} - \eta_t \frac{\nabla_{\theta} \mathcal{L}}{\sqrt{m} + \epsilon}$
- ϵ is a small number to avoid division with 0
- Gradients become gradually smaller and smaller

RMSprop

- Schedule
 - $m_j = \alpha \sum_{\tau=1}^{t-1} (\nabla_{\theta}^{(\tau)} \mathcal{L}_j)^2 + (1 - \alpha) \nabla_{\theta}^{(t)} \mathcal{L}_j \Rightarrow$
 - $\theta^{(t+1)} = \theta^{(t)} - \eta_t \frac{\nabla_{\theta} \mathcal{L}}{\sqrt{m + \epsilon}}$

Decay hyper-parameter



Square rooting boosts small values while suppresses large values

- Moving average of the squared gradients
 - Compared to Adagrad
- **Large gradients**, e.g. too “noisy” loss surface
 - Updates are tamed
- **Small gradients**, e.g. stuck in flat loss surface ravine
 - Updates become more aggressive



Adam [Kingma2014]

- One of the most popular learning algorithms

$$m_j = \sum (\nabla_{\theta} \mathcal{L}_j)^2$$
$$\theta^{(t+0.5)} = \beta_1 \theta^{(t)} + (1 - \beta_1) \nabla_{\theta} \mathcal{L}$$
$$v^{(t+0.5)} = \beta_2 v^{(t)} + (1 - \beta_2) m_{\theta^{(t+0.5)}}$$
$$\theta^{(t+1)} = \theta^{(t)} - \eta_t \frac{\theta^{(t+0.5)}}{\sqrt{v^{(t+0.5)} + \varepsilon}}$$

- Similar to RMSprop, but with momentum
- Recommended values: $\beta_1 = 0.9$, $\beta_2 = 0.999$, $\varepsilon = 10^{-8}$

Visual overview



Picture credit: [Alec Radford](#)

Learning –not computing– the gradients

- Learning to learn by gradient descent by gradient descent
 - [Andrychowicz2016]
- $\theta^{(t+1)} = \theta^{(t)} + g_t(\nabla_{\theta}\mathcal{L}, \varphi)$
- g_t is an “optimizer” with its own parameters φ
 - Implemented as a recurrent network

Good practice

- Preprocess the data to at least have 0 mean
- Initialize weights based on activations functions
 - For ReLU Xavier or He/CCV2015 initialization
- Always use ℓ_2 -regularization and dropout
- Use batch normalization

Babysitting Deep Nets

1. The Neural Network

$$a_L(x; \theta_{1,\dots,L}) = h_L(h_{L-1}(\dots h_1(x, \theta_1), \theta_{L-1}), \theta_L)$$

2. Learning by minimizing empirical error

$$\theta^* \leftarrow \arg \min_{\theta} \sum_{(x,y) \in (X,Y)} \mathcal{L}(y, a_L(x; \theta_{1,\dots,L}))$$

3. Optimizing with Gradient Descend based methods

$$\theta^{(t+1)} = \theta^{(t)} - \eta_t \nabla_{\theta} \mathcal{L}$$

Babysitting Deep Nets

- Always check your gradients if not computed automatically
- Check that in the first round you get a random loss
- Check network with few samples
 - Turn off regularization. You should predictably overfit and have a 0 loss
 - Turn on regularization. The loss should increase
- Have a separate validation set
 - Compare the curve between training and validation sets
 - There should be a gap, but not too large

Summary

- How to define our model and optimize it in practice
- Data preprocessing and normalization
- Optimization methods
- Regularizations
- Architectures and architectural hyper-parameters
- Learning rate
- Weight initializations
- Good practices

Reading material & references

- <http://www.deeplearningbook.org/>
 - Part II: Chapter 7, 8

[Andrychowicz2016] Andrychowicz, Denil, Gomez, Hoffman, Pfau, Schaul, de Freitas, Learning to learn by gradient descent by gradient descent, arXiv, 2016

[He2015] He, Zhang, Ren, Sun. *Delving Deep into Rectifiers: Surpassing Human-Level Performance on ImageNet Classification*, ICCV, 2015

[Ioffe2015] Ioffe, Szegedy. *Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift*, arXiv, 2015

[Kingma2014] Kingma, Ba. *Adam: A Method for Stochastic Optimization*, arXiv, 2014

[Srivastava2014] Srivastava, Hinton, Krizhevsky, Sutskever, Salakhutdinov. *Dropout: A Simple Way to Prevent Neural Networks from Overfitting*, JMLR, 2014

[Sutskever2013] Sutskever, Martens, Dahl, Hinton. On the importance of initialization and momentum in deep learning, JMLR, 2013

[Bengio2012] Bengio. *Practical recommendations for gradient-based training of deep architectures*, arXiv, 2012

[Krizhevsky2012] Krizhevsky, Hinton. *ImageNet Classification with Deep Convolutional Neural Networks*, NIPS, 2012

[Duchi2011] Duchi, Hazan, Singer. *Adaptive Subgradient Methods for Online Learning and Stochastic Optimization*, JMLR, 2011

[Glorot2010] Glorot, Bengio. *Understanding the difficulty of training deep feedforward neural networks*, JMLR, 2010

[LeCun2002]

Next lecture

- What are the Convolutional Neural Networks?
- Why are they important in Computer Vision?
- Differences from standard Neural Networks
- How to train a Convolutional Neural Network?